

## 7.0 REFERENCES

---

- ALERT Data System, 2003. On-line Retrieval System of the Santa Clara Valley Water District. (<http://alert/valleywater.org>)
- Aplers, CN and MP Hunerlach, 2000. Mercury Contamination from Historic Gold Mining in California. USGS Fact Sheet FS-061-00. 6 p.
- Army Corps of Engineers Independent Review Panel (ACE), 2002. Sediment Study of Guadalupe River, I880 to I280 Reach: Review of SPK HEC-6 Work.
- Bailey,EH and DL Everhart, 1964. Geology and Quicksilver Deposits of the New Almaden District Santa Clara County California. US Geological Survey Professional Paper 360.
- Benoit, J.M., C.C. Gilmour, and R.P. Mason, 2001. The influence of sulfide on solid phase mercury bioavailability for methylation by pure cultures of *Desulfobulbus propionicus* (1pr3). *Env. Sci. Technol.* 35:127-132.
- Benoit, J.M., C.C. Gilmour, and R.P. Mason, and A.P. Heyes, 1999. Sulfide control on mercury specification and bioavailablity to methylating bacteria in sediment pore waters, *EnvironmentalScience and Technology*, 33:951-957.
- Bloom, N. S., 1992. On the Chemical Form of Mercury in Edible Fish and Marine Invertebrate Tissue. *Canadian Journal of Fisheries and Aquatic Sciences* 49(5): 1010-1017.
- Bloom, N. S., G.A. Gill, S. Cappellino, et al., 1999. Speciation and cycling of mercury in Lavaca Bay, Texas, Sediments, *Environmental Science and Technology*, 33:7-13.
- Compeau, G.C., and R. Bartha, 1985. Sulfate –reducing bacteria: principle methylator of mercury in anoxic estuarine sediment, *Applied and environmental Microbiology*, 50:498-502.

- Conaway, C.H., S. Squire, R. P. Mason, and A. R. Flegal, 2003, Mercury speciation in San Francisco Bay estuary, *Marine Chemistry*, 80:199-225.
- Cox, M, 2000. Data and Notes from USGS Mineral Resource Data System. Attachment A-1 to Santa Clara Basin Watershed Management Initiative (WMI) Guadalupe River Mercury TMDL Workgroup's Recommended Interim Sampling and Monitoring Plan.
- Dames and Moore, 1989. Environmental Mercury Assessment, Phase 3 Almaden Quicksilver County Park for the County of Santa Clara.
- Department of Toxic Substances Control (DTSC), 2002. Five-Year Review Hacienda Furnace Yard, Almaden Quicksilver County Park, San Jose, California.
- Domagalski, J, 1998. Occurrence and transport of total mercury and methyl mercury in the Sacramento River Basin, California. *J. of Geochemical Exploration*, 64: 277-291.
- EOA, 2000. Santa Clara Basin Watershed Management Initiative. Final Guadalupe River Mercury TMDL Workgroup's Recommended Interim Sampling and Monitoring Plan.
- Ganguli, PM, RP Mason, KE Abu-Saba, RS Anderson, and AR Flegal, 2000. Mercury Speciation in Drainage from the New Idria Mercury Mine, California. *Environ. Sci. Technol.* 34:4773-4779.
- Gilmour, C.C. and G.S. Riedel, 1995. Measurement of Hg Methylation in Sediments Using High Specific-Activity <sup>203</sup>Hg and Ambient Incubation, Water, Air, and Soil Pollution 80:747-756.
- Golding, G.R., C.A. Kelly, R. Sparling et al., 2002. Evidence for facilitated uptake of Hg(II) by *Vibrio anguillarum* and *Escherichia Coli* under anaerobic and aerobic conditions, *limnology and oceanography*, 47:967-975.
- Gray, J. S. 2002. Biomagnification in marine systems: the perspective of an ecologist. *Marine Pollution Bulletin* 45(1-12): 46-52.
- Grieb, T. M., C. T. Driscoll, et al., 1990. Factors Affecting Mercury Accumulation in Fish in the Upper Michigan Peninsula. *Environmental Toxicology and Chemistry* 9(7): 919-930.
- Hammerschmidt, C.R., M.B. Sandheinrich, et al., 2002. Effects of dietary methylmercury on reproduction of fathead minnows. *Abstracts of Papers of the American Chemical Society* 223: 182-ENVR.

- Henry, E.A., et al., 1995. Total Mercury and Methylmercury Mass Balance in an Alkaline Hypereutrophic Urban Lake (Onondaga Lake, NY). *Water, Air and Soil Pollution*. 80: 509-518.
- Hines, M.E., M. Horvat, J. Faganeli et al., 2000. Mercury biogeochemistry in the Idrija River, Slovenia, from above the mine into the Gulf of Trieste, *Environmental Research*, 83:129-139.
- Hrabik, T.R. and C.J. Watras, 2002. Recent declines in mercury concentration in a freshwater fishery: isolating the effects of de-acidification and decreased atmospheric mercury deposition in Little Rock Lake. *Science of the Total Environment* 297(1-3): 229-237.
- HSR, Inc., 2003. Alamitos Creek Composite Sediment Sampling Results for Stations 1-1 through 8-4. Data Files and Maps. June 20, 2003. Conducted for Santa Clara Valley Water District.
- Kelly, C.A, J.W.M. Rudd, M.H. Holoka, 2003. Effect of pH on mercury uptake by an aquatic bacterium: Implications for Hg cycling, *Environmental Science and Technology*, 37:2941-2946.
- King, J.K., J.E. Kostka, M.E. Frischer, et al., 2001. A Quantitative relationship that demonstrates mercury methylation rates in marine sediments are based on the community composition and activity of sulfate-reducing bacteria, *Environmental Science and Technology*, 35:2491-2496.
- Kinnetic Laboratories, 2001. Joint Stormwater Agency Project to Study Urban Sources of Mercury and PCBs. Kinnetic Laboratories, Inc. Santa Cruz, CA.
- Kinnetic Laboratories, 2002. Joint Stormwater Agency Project to Study Urban Sources of Mercury and PCBs and Organo-chlorine Pesticides. April 2002. Kinnetic Laboratories, Inc. Santa Cruz, CA.
- Latif, M.A., R.A. Bodaly, et al., 2001. Effects of environmental and maternally derived methylmercury on the embryonic and larval stages of walleye (*Stizostedion vitreum*). *Environmental Pollution* 111(1): 139-148.
- Lean D.R.S. and S.D Siciliano, 2003. Production of methylmercury by solar radiation, *Journal de Physique IV*, 107:743-747.
- Light, Air, & Space Construction (LAS), 2002. Sediment Sampling at Selected Stations, Los Alamitos and Calero Creeks. Prepared for the Santa Clara Valley Water District.

- Lindqvist, O., K. Johansson et al., 1991. Mercury in the Swedish Environment - Recent Research on Causes, Consequences and Corrective Methods. *Water Air and Soil Pollution* 55(1-2): R11.
- Lorenzen, M. W., 1979. Effects of phosphorus control options on lake water quality. EPA-560/11-79-011, US EPA, Washington, DC.
- Mason, R.P., J.R. Reinfelder. et al., 1996. Uptake, toxicity, and trophic transfer of mercury in a coastal diatom. *Environmental Science & Technology* 30(6): 1835-1845.
- National Research Council (NRC), 2001. Assessing the TMDL approach to water quality management. Report to the Committee to Assess the Scientific Basis of the Total Maximum Daily Load Approach to Water Pollution Reduction. National Research Council. National Academy Press. Washington, D.C.
- Northwest Hydraulic Consultants, 2000. Santa Clara Valley Water District Final Report Lower Guadalupe River Sedimentation Study.
- Paquette, K.E., and G.R.Hel3, 1997. Inorganic speciation of mercury in sulfidic waters: The Importance of Zero-Valent Sulfur, 31:2148-2153.
- Porcella, D.B., T. M. Grieb, G. L. Bowie, T.C. Ginn, M. W. Lorenzen, 1983. Assessment methodology for new cooling lakes. Volume 1: Methodology to assess multiple uses for new cooling lakes, Final Report to Electric Power Research Institute, Palo Alto, California.
- Porterfield, GCD, 1980. Sediment Transport of Streams Tributary to San Francisco, San Pablo, and Suisun Bays, California, 1906-1966. Report No. 80-64. United States Geological Survey, Water Division, Menlo Park, CA.
- Ravichandran, M., G.R.Aiken, MM. Reddy, and J.N. Ryan, 1998. Enhanced dissolution of cinnabar (mercuric sulfide) by dissolved organic matter isolated from the Fluoride Everglades, *Environmental Science and Technology*, 32:3305-3311.
- RWQCB, 2003a. Memorandum of Understanding between the Santa Clara Valley Water District and the Regional Board regarding development of a mercury TMDL for the Guadalupe River Watershed. Regional Board Meeting Date: March 19, 2003.
- RWQCB, 2003b. Mercury in San Francisco Bay. Total Maximum Daily Load (TMDL) Project Report. California Regional Water Quality Control Board, San Francisco Bay Region. June 6, 2003.
- San Francisco Estuary Institute (SFEI), 2001. San Francisco Bay Atmospheric Deposition Pilot Study. Part 1: Mercury, Technical Report prepared by SFEI, Richmond, CA.

Santa Clara Parks and Recreation Department (SCPRD), 2003. Storm Water Discharge Sampling Results for Alameda Quicksilver County Park: November 1994-January 2002 Data File.

Santa Clara Valley Water District, 2003. Agreement No. A2643G – Guadalupe TMDL Project – Mercury Study. Appendix One Scope of Services.

Santa Clara Valley Water District (SCVWD), 2002. Historical Sediment Removal Program Data Files.

Santa Clara Valley Water District (SCVWD), 2001. Sediment Sampling Data Files for Alamitos Creek.

Santa Clara Valley Water District (SCVWD) and US Army Corps of Engineers, 1999 Final Environmental Impact Report/ Environmental Impact Statement for the Upper Guadalupe River Flood Control Project Volume VI.

Santa Clara Watershed Management Initiative, 2000. Watershed Management Plan. Volume One: Watershed Characteristics Report.

Secor, 1995. Mercury Impacts in Soil and Sediment: Rancho de Guadalupe Property Sierra Azul Open Space Preserve. Prepared for Midpeninsula Regional Open Space District, Los Gatos, California.

Tetra Tech, 2000. Guadalupe Creek Mercury Sampling Results. November. Prepared for Santa Clara Valley Water District.

Tetra Tech, 2001. Wet-weather Mercury Sampling of Guadalupe Creek. May. Prepared for Santa Clara Valley Water District.

Tetra Tech, 2003a. Technical Memorandum 7.1.2 Phase 1 Project Management Plan. Guadalupe River Watershed Mercury TMDL Project. Prepared for Santa Clara Valley Water District. June 13, 2003

Tetra Tech, 2003b. Technical Memorandum 1.2 Preliminary Problem Statement. Guadalupe River Watershed Mercury TMDL Project. Prepared for Santa Clara Valley Water District. June 13, 2003

Tetra Tech, 2003c. Technical Memorandum 2.1.2 Synoptic Survey Plan. Guadalupe River Watershed Mercury TMDL Project. Prepared for Santa Clara Valley Water District. July 30, 2003

Tetra Tech, 2003d. Technical Memorandum 2.2 Synoptic Survey Report. Guadalupe River Watershed Mercury TMDL Project. Prepared for Santa Clara Valley Water District. September 8, 2003.

- Thomas, M. A. C., C.H.; Steding, D.J.; Marvin-DiPasquale, M.; Abu-Saba, K.E.; Flegal, A.R., 2002. Mercury Contamination from Historic Mining in Water and Sediment, Guadalupe River and San Francisco Bay, California. *Geochemistry: Exploration, Environment, and Analysis* 2: 1-7.
- USEPA, 2001. Water Quality Criterion of the Protection of Human Health: Methylmercury. Washington, D. C., U. S. Environmental Protection Agency, Office of Science and Technology. EPA-823-R-01-001.
- Watras, C.J, R.C. Back, S. Halvorsen et al., 1998. Bioaccumulation of mercury in pelagic freshwater food webs, *Science of the Total Environment*, 219:183-208.
- Watras, C.J., K.A. Morrison, et al., 2000. Decreasing mercury in northern Wisconsin: Temporal patterns in bulk precipitation and a precipitation-dominated lake. *Environmental Science & Technology* 34(19): 4051-4057.
- Watras, L.J, N.S Bloom, S.A Claas et al., 1995. Methylmercury production in the anoxic hypolimnion of the dimictic seepage lake, *Water Air, Soil Pollution*, 80:735-745.
- Whyte, D.C. and J.W. Kirchner, 2000. Assessing water quality impacts and cleanup effectiveness in streams dominated by episodic mercury discharges. *Science of the Total Environment*, 260: 1-9.
- Wiener, J.G., D.P. Krabbenhoft, et al., 2002. Ecotoxicology of Mercury. *Handbook of Ecotoxicology*. D. J. Hoffman, B. A. Rattner, G. A. Burton and J. Cairns. New York, Lewis Publishers: 409 - 463.
- Woodward-Clyde Consultants (WCC), 1992. Assessment of Mercury in Water and Sediments of Santa Clara Valley Streams and Reservoirs. Prepared for Santa Clara Valley Nonpoint Source Pollution Control Program.